ISSN 0441-2516 NIRS-RSD-80

RADIOACTIVITY SURVEY DATA in Japan

Part 1 = Environmental Materials =

NUMBER 80 April 1988

National Institute of Radiological Sciences Chiba, Japan

Radioactivity Survey Data in Japan

Number 80

April 1988 part 1

Contents

	rage
Env	ironmental and Dietary Materials
	(Japan Chemical Analysis Center)
1.	Collection and pretreatment of samples
2.	Preparation of samples for analysis
3.	Separation of Strontium-90 and Cesium-137
Ψ.	
4.	Determination of Stable Strontium, Calcium and Potassium 4
5.	Counting 4
6.	Results 5
	(1)-1 Strontium-90 and Cesium-137 in Rain and Dry Fallout
	(for domestic program)
	-2 Strontium-90 and Cesium-137 in Rain and Dry Fallout
	·
	(for WHO program)
	(2) Strontium-90 and Cesium-137 in Airborne Dust
	(3) Strontium-90 and Cesium-137 in Service Water14
	(4) Strontium-90 and Cesium-137 in Freshwater
	(5) Strontium-90 and Cesium-137 in Soil
7	Contents of Figure
١.	Willelitz of Liante

Editted by National Institute of Radiological Sciences, under the supervision of Science and Technology Agency of Japanese Government.

Environmental and Dietary Materials"

(Japan Chemical Analysis Center)

1. Collection and pretreatment of samples

(1) Rain and dry fallout

Rain and dry fallout was collected monthly on a sampling tray, approximately $5000~\rm{cm}^2$ in area, which was filled with water to a depth of 1 cm at the beginning of every month.

Strontium and cesium carrier solutions were added after the sample was filtered. The tray was washed with of distilled water and the washing was combined to the filtrate.

The sample was passed through a cation exchange column (500 of Dowex 50W X8, $50 \sim 100$ mesh, Na form) at a rate flow of $80 \sim 100$ min.

(2) Airborne dust

Airborne dust was collected by an electrostatic precipitator or a filter air sampler for every three months at a rate of more than $3000~\text{m}^3$ per month. The sampling was done 1 to 1.5 meters above the ground.

(3) Service water and freshwater

Service water, 100 each, was collected at the intake of the water-treatment plant and at the tap after water was left running for five minutes. Strontium and cesium carriers were added to the filtered water sample. The subsequent process was the same as that described in the section (1). Freshwater was treated in the same way as the service water.

(4) Soil

Soil was collected from the location in the spacious and flat area without past surface disturbance caused by duststorms, inflow and outflow due to precipitation, etc.. Any places located under trees in a forest, in a stony area or inside of river banks were avoided. Soil was taken from two layers of different depths, 0-5cm and 5-20cm. The soil lumps were crushed by hands and dried in a drying oven regulated 105 . The soil was then passed through a 2 mm sieve to remove plant roots and pebbles.

(5) Sea water Sea water was collected at the fixed stations where

tion was also given to weather conditions. The sampling was carried out when there was no rainfall for the last few days. To prevent contamination, water samples were collected at the bow of a sampling boat just before she stood still by scooping surface water using a polyethylene bucket. Immediately after the collection, the samples were acidified to a pH lower than 3 by adding concentrated hydrochloric acid in a ratio of 1 to 1 of sea water, and then stored in polyethylene containers. The sampling equipments as well as containers were thoroughly rinsed with dilute hydrochloric acid and then with distilled water before use. Two hundred milliliters of sea water was also collected at the same stations for the determination of chlorinity.

the effect of terrestrial fresh water from rivers was expected to be negligibly small. A special considera-

(6) Sea sediments

Sediment was collected in the same area as that for the sea water sample, taking the following criteria into account:

- a. The depth of water exceeds 1 m at low tide.
- b. No significant sedimental movement is observed in the vicinity of concern.
- c. Mud, silt and fine sand are preferable.

A conventional sediment sampling device was used for collecting the top few centimeters of surface sediment. Approximately 4kg of the sample in wet weight was spread on a stenless steel dish after removed of the pebbles; shells and other foreign materials, and dried in a drying oven regulated at 105.

(7) Total diet

A full one day ordinary diet including three meals, water, tea and other in-between snacks for five persons was collected as a sample of "total diet". The sample in a large stainless steel pan was carbonized carefully by direct application of gas flame, and was transfered to a porcelain dish and then ashed at 450 in an electric muffle furnace.

(8) Rice

Polished rice was collected in producing districts at the harvest and in consuming areas when new crops were first put on sale. The sample was carbonized and ashed in a porcelain dish.

^{*} Samples were sent to the Center from 32 contracted prefectures.

(9) Milk

Raw milk was collected in producing districts and commercial milk was purchased in consuming districts. Milk in a stainless steel pan or a porcelain dish was evaporated to dryness followed by carbonization and ashing.

(10) Vegetables

Spinach and Japanese radish were selected as the representatives for leaf vegetables and for non-starch roots, respectively. After removing soil, the edible part of vegetable sample was dried and carbonized in a stainless steel pan or a porcelain dish.

(11) Tea

Five hundred grams of manufactured green tea was collected, carbonized and ashed in a stainless steel pan or a porcelain dish.

(12) Fish, shellfish and seaweeds

a. Sea fish and freshwater fish

Fish was rinsed with water and blotted with a filter paper. Only the edible part was used in case of larger sized fish, and the whole part was used in case of smaller ones. Each sample was weighed and placed in a stainless steel pan or a porcelain dish. After carbonized, the sample was ashed in an electric muffle furnace.

b. Shellfish

Approximately 4 kg of shellfish including the shells was collected or purchased. After removing the shells, it was treated in the same way as that for the sea fish.

c. Seaweeds

Edible seaweeds were collected and rinsed with water to remove sand and other adhering matters on the surface. These were removed of excess water, weighed dried and ashed.

Table 1 shows detailes of sample collection.

Table 1 Details of sample collection

Sample	Frequency of sampling	Quantity of sample
=Environmental materials=		
(1) Rain and dry fallout		
1. For domestic program	monthly	
2. For WHO program	monthly	
(2) Airborne dust	quarterly	>3000 m³/month
(3) Service water and freshwater		
 Service water (source water) 	semiyearly	100
2. Service water (tap water)	semiyearly	100
Freshwater	yearly (fishing season)	100
(4) Soil		
1. 0 ∼ 5 cm	yearly	4 kg
2. 5 ∼ 20cm	yearly	4 kg
(5) Sea water	yearly	40
(6) Sea sediments	yearly	4 kg
=Dietary materials=		
(7) Total diet	semiyearly	daily amount for 5 persons
(8) Rice		
 Producing districts 	yearly (harvesting season)	5 kg (polished rice)
Consuming districts	yearly (harvesting season)	5 kg (polished rice)
(9) Milk		
 Producing districts for 	quarterly (February, May, August and	3
WHO program	November)	
Producing districts for domestic program	semiyearly (February and August)	3

Sample	Frequency of sampling	Quantity of sample
3. Consuming districts	semiyearly (February and August)	3
4. Powdered milk	semiyearly (April and October)	2∼3 kg
(10) Vegetables		
1. Producing districts	yearly (harvesting season)	4 kg
2. Consuming districts	yearly (harvesting season)	4 kg
(11) Tea	yearly (the first harvesting season)	500g (manufactured tea)
(12) Fish, shellfish and seaweeds		
1. Sea fish	yearly (fishing season)	4 kg
2. Freshwater fish	yearly (fishing season)	4 kg
Shellfish	yearly (fishing season)	4 kg
4. Seaweeds	yearly (fishing season)	2~3 kg

2. Preparation of samples for analysis

(1) Rain, service water and freshwater

Strontium and cesium were eluted with hydrochloric acid from the cation exchange column. The residue of rain sample on the filter paper was ashed in an electric muffle furnace and the ash was dissolved in hydrochloric acid. The insoluble part was filtered and washed. The filtrate and the washings were combined to the previous eluate and used for radiochemical analysis.

(2) Soil and Sea sediment

Dried soil was crushed to smaller ones than 0.25 mm in size by a crusher. The sieved sample was ashed in an electric muffle furnace regulated at 450 . The sample was then heated with hydrochloric acid, strontium and cesium carrier solutions and the mixture was heated. The insoluble constituent was filtered off and washed with water.

The dried sample was crushed to smaller ones than 0.25 mm by a crushing machine. The further preparation of the sample was the same as that described in the section 2-(2).

(3) Rice

The ashed sample was pulverized with a porcelain mortar and passed through a 0.35 mm sieve. The sieved sample to which both strontium and cesium carriers were added, was digested with nitric acid by heating.

After the sample was heated again with nitric acid to dryness, strontium and cesium were extracted with hydrochloric acid and water. The insoluble constituent was filtered and washed. The filtrate and washings were combined for subsequent radiochemical analysis.

(4) Airborne dust, diet, milk, vegetables, fish and shellfish, seaweeds, tea and others

These ashed samples were treated with the same procedure as that described in the section 2-(4).

Separation of strontium-90 and cesium-137

(1) Strontium-90

Sample solutions, prepared as in the foregoing sections 2-(1) through 2-(4), were neutralized with sodium hydroxide. After sodium carbonate was added, the precipitate of strontium and calcium carbonates was separated. The supernatant solution was retained for cesium-137 determination. The carbonates were dissolved in hydrochloric acid and strontium and calcium were precipitated as oxalates. The precipitate was dissolved in nitric acid and strontium was separated from calcium by successive fuming nitric acid separation. Iron scavenge was made after addition of ferric iron carrier followed by barium chromate separation after addition of barium carrier to remove radium, its daughters and lead. Strontium was recovered as carbonate, and the precipitate was dried and weighed to determine strontium recovery. The strontium carbonate was dissolved in hydrochloric acid and iron carrier was added. The solution was allowed to stand for two weeks for strontium-90 and yttrium-90 to attain equilibrium. Yttrium-90 was coprecipitated with ferric hydroxide and the precipitate was filtered off, washed and counted.

(2) Cesium-137

The supernatant separated from the strontium fraction was acidified with hydrochloric acid. While stirring, cesium was adsorbed on the ammonium molyb-

dophosphate added.

After filtered off and washed with hydrochlotric acid the precipitate was dissolved in 2.5N sodium hydroxide solution. The solution was adjusted to pH 8.2 with hydrochloric acid and allowed to cool. Resultant molybdenum hydroxide which separated out in the solution, was filtered off and washed with water. EDTA was added to the filtrate and washings. Cesium and rubidium were adsorbed on a cation exchange column and cesium was separated from rubidium by eluting with hydrochloric acid.

The eluate was evaporated to dryness and was dissolved. The solution was filtered. Chloroplatinic acid was added to precipitate cesium. The precipitate was filtered onto a tared paper using a demountable filter and washed with water and then ethanol. After drying, the chemical yield of cesium was determined by weighing the precipitate. Cesium-137 radioactivity was measured for this precipitate.

Determination of stable strontium, calcium and potassium

A weighed amount of soil or sea sediment was heated in a electric muffle furnace at 450 and then

treated with hydrochloric acid for extraction. A weighed aliquot of ashed samples of total diet, vegetables, milk, fish, shellfish or seaweeds was digested with hydrofluoric acid and nitric acid.

The extract was made up to an appropriate volume with dilute hydrochloric acid. The sample solution was analyzed for calcium by titration with standard potassium permanganate solution after separating calcium as oxalate. Atomic absorption spectroscopy was applied when appropriate. Stable strontium and potassium were determined by atomic absorption and flame emission spectrometry, respectively.

Counting

After the radiochemical separation the mounted precipitates were counted for activity using low background beta counters normally for 60 to 90 min. Net sample counting rates were corrected for counter efficiency, recovery, self-absorption and decay to obtain the content of strontium-90 and cesium-137 per sample aliquot. From the results, concentrations of these nuclides in the original samples were calculated.

6. Results

(1)-1 Strontium-90 and Cesium-137 in Rain and Dry Fallout(for domestic program) (from Jul. 1986 to Jun. 1987)

Table (1)-1: Strontium-90 and Cesium-137 in Rain and Dry Fallout

Y a malifican	Duration	Precipitation	•°Sr	137Cs
Location	(days)	(mm)	(mCi/Km²)	(mCi/Km²)
July, 1986	0.0	017.6	0.000 + 0.000	0.007 + 0.0015
Matsue, SHIMANE	32	317.6	0.002 ± 0.0006	0.037 ± 0.0015
August, 1986				
Matsue, SHIMANE	31	42.8	0.001 ± 0.0005	0.021 ± 0.0012
·				
September, 1986				
Matsue, SHIMANE	31	60.7	0.002 ± 0.0006	0.009 ± 0.0008
October, 1986				
Matsue, SHIMANE	32	96.4	0.002 ± 0.0006	0.009 ± 0.0009
				_ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
November, 1986				
Matsue, SHIMANE	31	63.1	0.001 ± 0.0006	0.004 ± 0.0006
December, 1986				
Matsue, SHIMANE	32	151.5	0.003 ± 0.0007	0.006 ± 0.0007
Matsuc, BHIMANL	02	101.0	0.000 = 0.000,	0.000 = 0.000,
January, 1987				
Sapporo, HOKKAIDO	39	54.0	0.002 ± 0.0006	0.006 ± 0.0007
Aomori, AOMORI	28	79.0	0.003 ± 0.0007	0.007 ± 0.0008
Onagawa-machi, MIYAGI	28	32.6	0.003 ± 0.0007	0.010 ± 0.0008
Yamagata, YAMAGATA	29	72.0	0.002 ± 0.0006	0.008 ± 0.0008
Ookuma-machi, FUKUSHIMA	37	38.1	0.003 ± 0.0007	0.019 ± 0.0011
Mito, IBARAGI	28	26.5	0.002 ± 0.0006	0.003 ± 0.0005
Shinjuku, TOKYO	29	49.2	0.002 ± 0.0006	0.018 ± 0.0012
Yokohama, KANAGAWA	32	52.9	0.001 ± 0.0006	0.019 ± 0.0011
Fukui, FUKUI	26	268.7	0.002 ± 0.0007	0.009 ± 0.0009
Shizuoka, SHIZUOKA	29	70.5	0.003 ± 0.0008	0.019 ± 0.0011
			· · · · · ·	
Nagoya, AICHI	29	39.1	0.001 ± 0.0007	0.004 ± 0.0006
Kyoto, KYOTO	29	46.2	0.003 ± 0.0007	0.003 ± 0.0006
Kobe, HYOGO	36	64.2	0.001 ± 0.0005	0.005 ± 0.0006
Wakayama, WAKAYAMA	28	31.3	0.002 ± 0.0007	0.004 ± 0.0007
Tottori, TOTTORI	28	193.1	0.004 ± 0.0007	0.008 ± 0.0008
Matsue, SHIMANE	32	126.6	0.002 ± 0.0006	0.009 ± 0.0009

Logotion	Duration	Precipitation	9°Sr	¹³⁷ Cs
Location	(days)	(mm)	(mCi/Km²)	(mCi/Km²)
Hiroshima, HIROSHIMA	28	30.6	0.005 ± 0.0007	0.002 ± 0.0005
Matsuyama, EHIME	29	47.0	0.002 ± 0.0006	0.006 ± 0.0007
Dazaifu, FUKUOKA	29	74.2	0.003 ± 0.0006	0.004 ± 0.0006
Saga, SAGA	29	54.0	0.003 ± 0.0006	0.009 ± 0.0008
Nagasaki, NAGASAKI	29	57.0	0.002 ± 0.0006	0.003 ± 0.0006
Yonagusuku-mura, OKINAWA	29	48.5	0.003 ± 0.0006	0.006 ± 0.0008
February, 1987				
Sapporo, HOKKAIDO	29	43.0	0.003 ± 0.0007	0.004 ± 0.0007
Aomori, AOMORI	29	77.5	0.004 ± 0.0007	0.007 ± 0.0007
Onagawa-machi, MIYAGI	29	63.7	0.002 ± 0.0007	0.009 ± 0.0008
Yamagata, YAMAGATA	29	56.2	0.003 ± 0.0007	0.009 ± 0.0008
Ookuma-machi, FUKUSHIMA	29	74.4	0.002 ± 0.0006	0.009 ± 0.0008
Mito, IBARAGI	29	49.5	0.003 ± 0.0006	0.007 ± 0.0008
Shinjuku, TOKYO	29	40.3	0.002 ± 0.0006	0.026 ± 0.0013
Yokohama, KANAGAWA	29	43.3	0.004 ± 0.0008	0.030 ± 0.0014
Fukui, FUKUI	32	221.6	0.002 ± 0.0005	0.010 ± 0.0009
Shizuoka, SHIZUOKA	29	63.0	0.002 ± 0.0005	0.009 ± 0.0009
Nagoya, AICHI	29	33.9	0.002 ± 0.0006	0.011 ± 0.0008
Kyoto, KYOTO	29	33.1	0.000 ± 0.0005	0.002 ± 0.0006
Kobe, HYOGO	32	32.5	0.001 ± 0.0006	0.006 ± 0.0007
Wakayama, WAKAYAMA	29	31.6	0.002 ± 0.0007	0.003 ± 0.0006
Tottori, TOTTORI	29	133.8	0.003 ± 0.0007	0.009 ± 0.0009
Matsue, SHIMANE	30	84.5	0.002 ± 0.0006	0.012 ± 0.0009
Hiroshima, HIROSHIMA	29	33. 8	0.006 ± 0.0008	0.002 ± 0.0005
Matsuyama, EHIME	29	43.5	0.003 ± 0.0007	0.005 ± 0.0007
Dazaifu, FUKUOKA	29	55.4	0.001 ± 0.0006	0.005 ± 0.0007
Saga, SAGA	29	75.9	0.003 ± 0.0007	0.004 ± 0.0006
Nagasaki, NAGASAKI	29	60.5	0.002 ± 0.0006	0.005 ± 0.0010
Yonagusuku-mura, OKINAWA	28	57.0	0.001 ± 0.0005	0.004 ± 0.0007
March, 1987				
Sapporo, HOKKAIDO	31	41.5	0.002 ± 0.0006	0.008 ± 0.0008
Aomori, AOMORI	32	59.5	0.005 ± 0.0006	0.010 ± 0.0009
Onagawa-machi, MIYAGI	31	136.8	0.002 ± 0.0006	0.007 ± 0.0008
Yamagata, YAMAGATA	31	70.8	0.002 ± 0.0006	0.013 ± 0.0010
Ookuma-machi, FUKUSHIMA	32	77.3	0.002 ± 0.0006	0.012 ± 0.0009
Mito, IBARAGI	31	121.5	0.002 ± 0.0006	0.006 ± 0.0007
Shinjuku, TOKYO	31	103.0	0.002 ± 0.0006	0.007 ± 0.0007
Yokohama, KANAGAWA	32	151.6	0.002 ± 0.0005	0.015 ± 0.0010

	Duration	Precipitation	•°Sr	¹³7Cs
Location	(days)	(mm)	(mCi/Km²)	(mCi/Km²)
Fukui, FUKUI	30	157.1	0.001 ± 0.0006	0.006 ± 0.0007
Shizuoka, SHIZUOKA	31	281.0	0.002 ± 0.0006	0.009 ± 0.0008
Nagoya, AICHI	31	184.8	0.001 ± 0.0006	0.010 ± 0.0008
Kyoto, KYOTO	31	90.2	0.001 ± 0.0006	0.003 ± 0.0006
Kobe, HYOGO	30	100.2	0.002 ± 0.0006	0.004 ± 0.0006
Wakayama, WAKAYAMA	30	108.8	0.002 ± 0.0006	0.003 ± 0.0006
Tottori, TOTTORI	31	126.2	0.004 ± 0.0007	0.007 ± 0.0008
Matsue, SHIMANE	32	85.7	0.003 ± 0.0006	0.006 ± 0.0007
Hiroshima, HIROSHIMA	31	161.5	0.002 ± 0.0006	0.002 ± 0.0006
Matsuyama, EHIME	31	130.5	0.001 ± 0.0006	0.002 ± 0.0005
Dazaifu, FUKUOKA	31	192.4	0.001 ± 0.0006	0.001 ± 0.0006
Saga, SAGA	30	156.3	0.002 ± 0.0006	0.002 ± 0.0006
Nagasaki, NAGASAKI	31	196.5	0.000 ± 0.0006	0.001 ± 0.0005
Yonagusuku-mura, OKINAWA	31	141.0	0.000 ± 0.0006	0.004 ± 0.0006
pril, 1987				
Sapporo, HOKKAIDO	31	27.0	0.001 ± 0.0006	0.015 ± 0.0011
Aomori, AOMORI	29	28.0	0.006 ± 0.0007	0.011 ± 0.0008
Onagawa-machi, MIYAGI	31	30.9	0.003 ± 0.0006	0.009 ± 0.0009
Yamagata, YAMAGATA	31	9.7	0.001 ± 0.0006	0.006 ± 0.0008
Ookuma-machi, FUKUSHIMA	31	24.2	0.002 ± 0.0005	0.003 ± 0.0006
Mito, IBARAGI	31	37.5	0.002 ± 0.0005	0.003 ± 0.0006
Shinjuku, TOKYO	31	36.6	0.002 ± 0.0006	0.003 ± 0.0008
Yokohama, KANAGAWA	31	47.1	0.003 ± 0.0006	0.009 ± 0.0008
Fukui, FUKUI	31	43.3	0.003 ± 0.0009	0.013 ± 0.0013
Shizuoka, SHIZUOKA	31	91.0	0.003 ± 0.0006	0.006 ± 0.0008
Nagoya, AICHI	31	70.5	0.001 ± 0.0005	0.007 ± 0.0008
Kyoto, KYOTO	31	31.4	0.001 ± 0.0005	0.002 ± 0.0005
Kobe, HYOGO	31	39.6	0.001 ± 0.0006	0.005 ± 0.0007
Wakayama, WAKAYAMA	31	57.6	0.002 ± 0.0006	0.002 ± 0.0006
Tottori, TOTTORI	31	51.1	0.006 ± 0.0009	0.021 ± 0.0013
Matsue, SHIMANE	31	40.8	0.002 ± 0.0006	0.005 ± 0.0008
Hiroshima, HIROSHIMA	31	64.0	0.003 ± 0.0006	0.001 ± 0.0004
Matsuyama, EHIME	31	49.5	0.002 ± 0.0006	0.005 ± 0.0007
Dazaifu, FUKUOKA	31	70.7	0.002 ± 0.0006	0.002 ± 0.0006
Saga, SAGA	32	107.0	0.001 ± 0.0006	0.003 ± 0.0007
Nagasaki, NAGASAKI	31	186.5	0.001 ± 0.0005	0.002 ± 0.0005
Yonagusuku-mura, OKINAWA	30	67.5	0.001 ± 0.0006	0.003 ± 0.0006
ay, 1987				
Sapporo, HOKKAIDO	32	50 .5	0.003 ± 0.0007	0.013 ± 0.0009

Logation	Duration	Precipitation	•°Sr	137Cs
Location	(days)	(mm)	(mCi/Km²)	(mCi/Km²)
Aomori, AOMORI	34	38.5	0.008 ± 0.0008	0.008 ± 0.0007
Onagawa-machi, MIYAGI	32	128.0	0.003 ± 0.0006	0.003 ± 0.0006
Yamagata, YAMAGATA	32	74.1	0.001 ± 0.0005	0.011 ± 0.0009
Ookuma-machi, FUKUSHIMA	33	112.6	0.001 ± 0.0006	0.008 ± 0.0009
Mito, IBARAGI	32	109.0	0.003 ± 0.0011	0.003 ± 0.0005
Shinjuku, TOKYO	32	61.2	0.001 ± 0.0006	0.005 ± 0.0007
Yokohama, KANAGAWA	31	120.8	0.001 ± 0.0005	0.010 ± 0.0009
Fukui, FUKUI	33	209.6	0.002 ± 0.0006	0.005 ± 0.0007
Shizuoka, SHIZUOKA	32	318.0	0.002 ± 0.0005	0.006 ± 0.0007
Nagoya, ÁICHI	32	213.5	0.002 ± 0.0006	0.005 ± 0.0007
Kyoto, KYOTO	32	125.8	0.001 ± 0.0005	0.003 ± 0.0006
Kobe, HYOGO	30	177.2	0.001 ± 0.0005	0.002 ± 0.0007
Wakayama, WAKAYAMA	33	203.6	0.002 ± 0.0005	0.002 ± 0.0005
Tottori, TOTTORI	32	108.9	0.003 ± 0.0007	0.004 ± 0.0007
Hiroshima, HIROSHIMA	32	158.5	0.003 ± 0.0006	0.006 ± 0.0007
Matsuyama, EHIME	32	153.5	0.001 ± 0.0005	0.002 ± 0.0005
Dazaifu, FUKUOKA	32	153.7	0.001 ± 0.0005	0.001 ± 0.0004
Saga, SAGA	32	155.2	0.002 ± 0.0007	0.003 ± 0.0007
Nagasaki, NAGASAKI	32	202.5	0.001 ± 0.0005	0.003 ± 0.0005
Yonagusuku-mura, OKINAWA	33	328.5	0.001 ± 0.0005	0.001 ± 0.0004
June, 1987				
Sapporo, HOKKAIDO	31	16.0	0.001 ± 0.0006	0.006 ± 0.0007
Onagawa-machi, MIYAGI	31	58.9	0.003 ± 0.0007	0.003 ± 0.0006
Yamagata, YAMAGATA	31	61.9	0.002 ± 0.0006	0.005 ± 0.0006
Ookuma-machi, FUKUSHIMA	31	82.4	0.001 ± 0.0006	0.009 ± 0.0008
Mito, IBARAGI	31	59.0	0.001 ± 0.0006	0.006 ± 0.0006
Shinjuku, TOKYO	31	122.1	0.001 ± 0.0005	0.003 ± 0.0005
Yokohama, KANAGAWA	32	162.7	0.002 ± 0.0006	0.008 ± 0.0008
Fukui, FÚKUI	31	118.3	0.001 ± 0.0006	0.004 ± 0.0007
Shizuoka, SHIZUOKA	31	194.5	0.002 ± 0.0007	0.011 ± 0.0009
Nagoya, ÁICHI	31	77.2	0.001 ± 0.0007	0.003 ± 0.0005
Kyoto, KYOTO	31	120.1	0.001 ± 0.0006	0.003 ± 0.0006
Kobe, HYOGO	33	113.3	0.001 ± 0.0006	0.003 ± 0.0006
Wakayama, WAKAYAMA	30	144.5	0.001 ± 0.0006	0.003 ± 0.0008
Tottori, TOTTORI	31	205.9	0.001 ± 0.0006	0.006 ± 0.0009
Hiroshima, HIROSHIMA	31	243.4	0.004 ± 0.0006	0.002 ± 0.0005
Matsuyama, EHIME	31	160.5	0.001 ± 0.0005	0.005 ± 0.0008
Dazaifu, FUKUOKA	31	322.2	0.001 ± 0.0005	0.002 ± 0.0008
Saga, SAGA	31	292.7	0.002 ± 0.0006	0.004 ± 0.0007

Location	Duration	Precipitation	•°Sr	¹³⁷ Cs
Location	(days)	(mm)	(mCi/Km²)	(mCi/Km²)
Nagasaki, NAGASAKI Yonagusuku-mura, OKINAWA	31 30	208.0 365.5	0.003 ± 0.0006 0.000 ± 0.0005	$\begin{array}{c} 0.004 \pm 0.0008 \\ 0.002 \pm 0.0007 \end{array}$

(1)-2 Strontium-90 and Cesium-137 in Rain and Dry Fallout(for WHO program) (from Jan. 1987 to Jul. 1987)

Table (1)-2: Strontium-90 and Cesium-137 in Rain and Dry Fallout

	Duration	Precipitation	•°Sr	¹³⁷ Cs
Location	(days)	(mm)	(mCi/Km²)	(mCi/Km²)
January, 1987				
Akita, AKITA	31	145.3	0.002 ± 0.0006	0.009 ± 0.0008
Niigata, NIIGATA	28	65.5	0.001 ± 0.0004	0.009 ± 0.0007
Kanazawa. ISHIKAWA	27	190.0	0.002 ± 0.0006	0.012 ± 0.0009
Nagano, NAGANO	30	38.6	0.001 ± 0.0006	0.003 ± 0.0006
Osaka, OSAKA	28	37.0	0.001 ± 0.0005	0.005 ± 0.0006
Okayama, OKAYAMA	29	26.1	0.000 ± 0.0005	0.004 ± 0.0007
Yamaguchi, YAMAGUCHI	29	97.0	0.002 ± 0.0006	0.006 ± 0.0007
Kochi, KOCHI	28	32.9	0.004 ± 0.0006	0.007 ± 0.0008
Kagoshima, KAGOSHIMA	29	55.5	0.004 ± 0.0006	0.003 ± 0.0006
February, 1987				
Akita, AKITA	31	110.0	0.003 ± 0.0007	0.014 ± 0.0010
Chiba, CHIBA	29	50.1	0.001 ± 0.0006	0.008 ± 0.0008
Niigata, NIIGATA	29	65.9	0.002 ± 0.0006	0.007 ± 0.0008
Kanazawa, ISHIKAWA	29	90.5	0.003 ± 0.0006	0.007 ± 0.0008
Nagano, NAGANO	29	35.3	0.001 ± 0.0006	0.005 ± 0.0007
Osaka, OSAKA	29	50.9	0.002 ± 0.0007	0.007 ± 0.0008
Okayama, OKAYAMA	29	48.7	0.002 ± 0.0006	0.008 ± 0.0008
Yamaguchi, YAMAGUCHI	29	81.5	0.002 ± 0.0006	0.007 ± 0.0008
Kochi, KOCHI	29	40.0	0.005 ± 0.0007	0.010 ± 0.0009
Kagoshima, KAGOSHIMA	29	63.0	0.007 ± 0.0008	0.006 ± 0.0007
March, 1987				
Akita, AKITA	31	127.7	0.002 ± 0.0005	0.008 ± 0.0008
Chiba, CHIBA	31	101.0	0.002 ± 0.0007	0.004 ± 0.0007
Niigata, NIIGATA	31	66.1	0.004 ± 0.0006	0.008 ± 0.0008
Kanazawa, ISHIKAWA	32	214.0	0.002 ± 0.0006	0.008 ± 0.0008
Nagano, NAGANO	31	54.6	0.002 ± 0.0006	0.005 ± 0.0007
Osaka, OSAKA	30	134.6	0.002 ± 0.0006	0.005 ± 0.0007
Okayama, OKAYAMA	31	109.0	0.001 ± 0.0006	0.005 ± 0.0007
Yamaguchi, YAMAGUCHI	31	249.0	0.002 ± 0.0006	0.003 ± 0.0006
Kochi, KOCHI	30	208.7	0.005 ± 0.0008	0.006 ± 0.0007
Kagoshima, KAGOSHIMA	31	178.5	0.004 ± 0.0007	0.002 ± 0.0006
April, 1987				
Akita, AKITA	31	64.1	0.002 ± 0.0006	0.009 ± 0.0009

Location		tion Precipitation	°°Sr	137Cs
	ays)	(mm)	(mCi/Km²)	(mCi/Km²)
Chiba, CHIBA	30	79.4	0.001 ± 0.0005	0.008 ± 0.0007
Niigata, NIIGATA	31	15.5	0.003 ± 0.0006	0.006 ± 0.0007
Kanazawa, ISHIKAWA	31	47.0	0.002 ± 0.0006	0.016 ± 0.0011
Nagano, NAGANO	31	6.5	0.001 ± 0.0006	0.009 ± 0.0009
Osaka, OSAKA	32	47.3	0.001 ± 0.0006	0.004 ± 0.0006
Okayama, OKAYAMA	31	32.4	0.001 ± 0.0006	0.004 ± 0.0006
Yamaguchi, YAMAGUCHI	30	174.0	0.002 ± 0.0006	0.003 ± 0.0006
Kochi, KOCHI	3 2	150.6	0.003 ± 0.0007	0.003 ± 0.0006
Kagoshima, KAGOSHIMA	31	237.5	0.003 ± 0.0006	0.002 ± 0.0005
ay, 1987				
Akita, AKITA	32	150.0	0.002 ± 0.0006	0.005 ± 0.0007
	33	101.9	0.000 ± 0.0005	0.006 ± 0.0007
Niigata, NIIGATA	32	75.4	0.002 ± 0.0006	0.003 ± 0.0005
Kanazawa, ISHIKAWA	30	236.5	0.002 ± 0.0006	0.004 ± 0.0007
Nagano, NAGANO	32	65.8	0.001 ± 0.0005	0.004 ± 0.0007
Osaka, OSAKA	32	158.5	0.001 ± 0.0005	0.003 ± 0.0007
Okayama, OKAYAMA	32	117.6	0.002 ± 0.0005	0.002 ± 0.0005
Yamaguchi, YAMAGUCHI	33	158.0	0.001 ± 0.0005	0.003 ± 0.0006
	32	348.8	0.003 ± 0.0006	0.007 ± 0.0008
Kagoshima, KAGOSHIMA	32	212.0	0.002 ± 0.0007	0.001 ± 0.0005
ine, 1987				
	31	49.3	0.002 ± 0.0006	0.003 ± 0.0005
Chiba, CHIBA	31	138.6	0.001 ± 0.0005	0.008 ± 0.0007
Niigata, NIIGATA	31	21.9	0.001 ± 0.0006	0.003 ± 0.0006
Kanazawa, ISHIKAWA	33	147.5	0.001 ± 0.0006	0.002 ± 0.0005
Nagano, NAGANO	31	64.8	0.001 ± 0.0006	0.004 ± 0.0006
Osaka, OSAKA	31	97.2	0.001 ± 0.0005	0.005 ± 0.0007
Okayama, OKAYAMA	31	103.7	0.001 ± 0.0005	0.002 ± 0.0007
* *	31	221.0	0.000 ± 0.0006	0.001 ± 0.0006
Kochi, KOCHI	31	332.6	0.002 ± 0.0006	0.004 ± 0.0007
Kagoshima, KAGOSHIMA	31	131.0	0.001 ± 0.0006	0.003 ± 0.0007
ily, 1987				
Chiba, CHIBA	34	62.8	0.000 ± 0.0007	0.004 ± 0.0006

(2) Strontium-90 and Cesium-137 in Airborne Dust (from Apr. 1986 to Jun. 1987)

Table (2): Strontium-90 and Cesium-137 in Airborne Dust

_	Sampling	Absorption	•°Sr	¹³⁷ Cs
Location	period	volume (m³)	(10 ⁻³ pCi/m³)	(10 ⁻³ pCi/m³)
April~July, 1986				
Mito, IBARAGI	4∼ 7	14,087	0.2 ± 0.02	33. ± 0.2
July~October, 1986				
Mito, IBARAGI	7∼ 10	14,331	0.0 ± 0.02	0.1 ± 0.02
October ~ December, 1986				
Ookuma-machi, FUKUSHIMA	10~12	11,928	0.02 ± 0.02	0.1 ± 0.02
Mito, IBARAGI	10~12	10,514	0.0 ± 0.02	0.1 ± 0.02
Niigata, NIIGATA	10~12	14,009	0.01 ± 0.02	0.03 ± 0.02
Kyoto, KYOTO	10~12	5,995	0.0 ± 0.04	0.3 ± 0.05
Osaka, OSAKA	10~12	13,521	0.02 ± 0.02	0.04 ± 0.02
Tottori, TOTTORI	10~12	11,688	0.05 ± 0.02	0.04 ± 0.02
Nagasaki, NAGASAKI	10~12	14,964	0.04 ± 0.02	0.03 ± 0.01
January~April, 1987				
Ookuma-machi, FUKUSHIMA	1~4	11,810	0.0 ± 0.02	0.1 ± 0.02
Mito, IBARAGI	$1 \sim 4$	8,155	0.03 ± 0.03	0.1 ± 0.02
Niigata, NIIGATA	1~4	13,987	0.0 ± 0.02	0.1 ± 0.01
Fukui, FUKUI	1 ~ 4	15,966	0.01 ± 0.02	0.04 ± 0.01
Hamaoka-machi, SHIZUOKA	1 ~ 4	12,164	0.05 ± 0.02	0.3 ± 0.03
Nagoya, AICHI	1 ~ 4	9,473	0.0 ± 0.02	0.1 ± 0.03
Kyoto, KYOTO	1~4	6,571	0.1 ± 0.04	0.1 ± 0.03
Osaka, OSAKA	1~4	14,263	0.01 ± 0.02	0.04 ± 0.01
Kobe, HYOGO	1~4	9,940	0.1 ± 0.03	0.03 ± 0.02
Tottori, TOTTORI	1~4	10,869	0.2 ± 0.24	0.1 ± 0.02
Hiroshima, HIROSHIMA	1~4	10,830	0.04 ± 0.02	0.1 ± 0.02
Nagasaki, NAGASAKI	1 ~ 4	9,999	0.01 ± 0.03	0.03 ± 0.01
April∼June, 1987				
Fukui, FUKUI	4~6	16,478	0.0 ± 0.02	0.1 ± 0.02
Hamaoka-machi, SHIZUOKA	4~6	12,791	0.0 ± 0.02	0.1 ± 0.02
Nagoya, AICHI	4~6	9,665	0.0 ± 0.03	0.1 ± 0.02
Kyoto, KYOTO	4~6	6,270	0.02 ± 0.05	0.2 ± 0.04
Osaka, OSAKA	4~6	14,212	0.0 ± 0.02	0.1 ± 0.02
Kobe, HYOGO	4~6	9,184	0.02 ± 0.03	0.05 ± 0.02

Location	Sampling period	Absorption volume	•°Sr	137Cs
		(m³)	(10 ⁻³ pCi/m³)	(10 ⁻³ pCi/m³)
Cottori, TOTTORI	4~6	9,159	0.01 ± 0.02	0.1 ± 0.03
Hiroshima, HIROSHIMA	4 ∼ 6	10,021	0.03 ± 0.02	0.05 ± 0.02
Nagasaki, NAGASAKI	$4\sim6$	9,765	0.04 ± 0.03	0.1 ± 0.02

(3) Strontium-90 and Cesium-137 in Service Water (from Jun. 1986 to Jul. 1987)

Table (3): Strontium-90 and Cesium-137 in Service Water

		*°Sr	¹³⁷ Cs		
Location	рН	(pCi/l)	(pCi/1)		
(Source Water)					
December, 1986					
Katsushika, TOKYO	7.1	0.06 ± 0.005	0.01 ± 0.003		
Fukuoka, FUKUOKA	6.9	0.08 ± 0.005	0.01 ± 0.003		
January, 1987					
Sapporo, HOKKAIDO	7.1	0.08 ± 0.005	0.01 ± 0.003		
Kyoto, KYOTO	7.5	0.16 ± 0.007	0.02 ± 0.003		
June, 1987					
Katsushika, TOKYO	7.3	0.07 ± 0.005	0.02 ± 0.004		
Tsukui-machi, KANAGAWA	6.8	0.02 ± 0.003	0.01 ± 0.003		
Inuyama, AICHI	7.0	0.07 ± 0.005	0.01 ± 0.003		
Moriguchi, OSAKA	7.0	0.13 ± 0.006	0.02 ± 0.003		
Fukuoka, FUKUOKA	7.5	0.06 ± 0.005	0.01 ± 0.003		
July, 1987					
Sapporo, HOKKAIDO	7.3	0.07 ± 0.005	0.01 ± 0.003		
(Tap Water)					
June, 1986					
Matsue, SHIMANE	7.3	0.13 ± 0.006	0.01 ± 0.003		
December, 1986					
Yamagata, YAMAGATA	7.2	0.08 ± 0.005	0.01 ± 0.003		
Katsushika, TOKYO	6.9	0.05 ± 0.004	0.01 ± 0.003		
Matsue, SHIMANE	7.2	0.12 ± 0.006	0.01 ± 0.002		
Fukuoka, FUKUOKA	6.9	0.09 ± 0.005	0.01 ± 0.003		
Saga, SAGA	7.2	0.06 ± 0.005	0.002 ± 0.003		
Nagasaki, NAGASAKI	7.2	0.06 ± 0.005	0.01 ± 0.003		
Kagoshima, KAGOSHIMA	6.4	0.02 ± 0.003	0.005 ± 0.003		
January, 1987					
Kyoto, KYOTO	6.8	0.15 ± 0.007	0.01 ± 0.003		
Wakayama, WAKAYAMA	7.1	0.07 ± 0.005	0.01 ± 0.003		
Hiroshima, HIROSHIMA	6.7	0.07 ± 0.005	0.01 ± 0.003		
May, 1987			0.01 + 0.000		
Hiroshima, HIROSHIMA	6.9	0.08 ± 0.005	0.01 ± 0.003		

		°°Sr	¹³⁷ Cs		
Location	рН	(pCi/l)	(pCi/1)		
June, 1987	7-7-1				
Wakkanai, HOKKAIDO	6.8	0.05 ± 0.005	0.01 ± 0.003		
Aomori, AOMORI	7.5	0.04 ± 0.004	0.02 ± 0.003		
Yamagata, YAMAGATA	6.8	0.07 ± 0.005	0.01 ± 0.003		
Fukushima, FUKUSHIMA	7.0	0.13 ± 0.006	0.002 ± 0.003		
Mito, IBARAGI	7.7	0.07 ± 0.005	0.02 ± 0.004		
Katsushika, TOKYO	7.1	0.08 ± 0.005	0.01 ± 0.003		
Niigata, NIIGATA	6.8	0.10 ± 0.006	0.01 ± 0.003		
Kanazawa, ISHIKAWA	7.5	0.08 ± 0.005	0.001 ± 0.003		
Fukui, FUKUI	7.2	0.01 ± 0.003	0.00 ± 0.003		
Nagano, NAGANO	7.2	0.04 ± 0.004	0.02 ± 0.003		
Shizuoka, SHIZUOKA	7.7	0.05 ± 0.005	0.01 ± 0.003		
Nagoya, AICHI	6.7	0.07 ± 0.005	0.01 ± 0.003		
Osaka, OSAKA	6.8	0.14 ± 0.006	0.01 ± 0.003		
Kobe, HYOGO	6.8	0.12 ± 0.006	0.01 ± 0.003		
Wakayama, WAKAYAMA	7.3	0.07 ± 0.005	0.01 ± 0.002		
Tottori, TOTTORI	7.5	0.08 ± 0.005	0.01 ± 0.003		
Okayama, OKAYAMA	6.9	0.08 ± 0.005	0.01 ± 0.003		
Yamaguchi, YAMAGUCHI	6.8	0.07 ± 0.005	0.01 ± 0.003		
Matsuyama, EHIME	7.2	0.05 ± 0.005	0.01 ± 0.003		
Kochi, KOCHI	7.2	0.05 ± 0.004	0.00 ± 0.002		
Fukuoka, FUKUOKA	7.1	0.09 ± 0.006	0.01 ± 0.003		
Saga, SAGA	7.2	0.06 ± 0.005	0.005 ± 0.003		
Nagasaki, NAGASAKI	7.4	0.06 ± 0.005	0.01 ± 0.003		
Kagoshima, KAGOSHIMA	6.6	0.03 ± 0.004	0.01 ± 0.003		
Naha, OKINAWA	7.5	0.17 ± 0.008	0.01 ± 0.003		
July, 1987					
Sendai, MIYAGI	5.7	0.06 ± 0.005	0.01 ± 0.003		
Akita, AKITA	6.4	0.13 ± 0.007	0.02 ± 0.003		
Yokohama, KANAGAWA	7.1	0.02 ± 0.003	0.004 ± 0.003		

(4) Strontium-90 and Cesium-137 in Freshwater (from Apr. 1987 to Jul. 1987)

Table (4): Strontium-90 and Cesium-137 in Freshwater

Location		•°Sr	¹³⁷ Cs (pCi/l)		
	рH	(pCi/1)			
(Freshwater)					
April, 1987 Kasumigaura, IBARAGI	8.6	0.13 ± 0.006	0.03 ± 0.004		
July, 1987 Barato-lake, HOKKAIDO	7.4	0.07 ± 0.005	0.04 ± 0.004		

(5) Strontium-90 and Cesium-137 in Soil (from May 1987 to Jul. 1987)

Table (5): Strontium-90 and Cesium-137 in Soil

Location	Sampling		•°Sr			¹³⁷ Cs		
	Depth (cm)	(pCi/Kg)	(mCi/Km²)	(p	Ci/Kg)	(mCi/Km²)	
May, 1987						•		
Tokai-mura, IBARAGI	0 ~ 5	220	± 8	7.0 ± 0.26	3300	± 30	110 ± 1	
<i>"</i>	5 ~ 2 0	390	± 11	23 ± 0.6	510	± 13	30 ± 0.8	
Akabane-machi, AICHI	0~5	11	± 3.1	0.7 ± 0.21	22	± 3.2	1.5 ± 0.22	
<i>"</i>	5 ~ 2 O	20	± 3.7	3.7 ± 0.68	9	± 2.5	1.7 ± 0.46	
June, 1987								
Katsushika, TOKYO	0~5	47	± 4.1	2.6 ± 0.22	210	± 8	11 ± 0.4	
<i>"</i>	5 ~ 2 0	100	± 6	19 ± 1.1	330	± 10	60 ± 1.9	
July, 1987								
Yamagata, YAMAGATA	0~5	150		6.0 ± 0.28	720	± 15	30 ± 0.6	
<i>"</i>	5 ~ 20	41	± 3.9	5.3 ± 0.51	67	± 4.9	8.6 ± 0.64	
Kashiwazaki, NIIGATA	0~5	21	± 3.4	1.9 ± 0.31	410	± 11	37 ± 1.0	
"	5 ~ 20	44	± 4.2	10 ± 1.0	300	± 10	69 ± 2.2	
Fukui, FUKUI	0~5	28	± 3.7	1.4 ± 0.19	49	± 4.3	2.6 ± 0.23	
"	5 ~ 20	30	± 3.9	2.7 ± 0.36	120	± 6	11 ± 0.6	
Wakayama, WAKAYAMA	0~5	39	± 4.2	2.0 ± 0.22	110	± 6	5.8 ± 0.32	
"	5 ~ 20	65	± 5.1	6.0 ± 0.47	290	± 10	26 ± 0.9	

** Rain and Dry Fallout(for domestic program) ***




Fig. 1-1

* * * Rain and Dry Fallout(for WHO program) $\,$ * * *




Fig. 1-2

* * * Airborne Dust * * *




Fig.2

* * * Service Water(tap water) * * *




Fig.3

* * * Service Water(freshwater) * * *




Fig.4

* * * Soil * * *




Fig.5

** Sampling Locations in Japan **

